



Product Data Sheet

DIA BASIC LEAD STEARATE (DBLS)

PARAMETERS	SPECIFICATIONS
Metal (%)	: 53-55
Ash Content (%)	: 58
Loss on drying (%)	: 0.5 Max
Bulk Density (g/l)	: 250-400
Particle Size	: Min. 99% through 240 mesh screen
Physical Form	: Fine Powder

DESCRIPTION

DIA BASIC LEAD STEARATE is a derivative of Stearic Acid and lead mono oxide . It is excellent stabilizer for both rigid & flexible PVC . It also act as lubricant & dispersion agent

SOLUBILITY

DIA BASIC LEAD STEARATE is insoluble in water and common solvents.

SUGGESTED APPLICATIONS

Heat Stabilizer cum high temperature lubricant for PVC formulation. It imparts migration resistance.

STORAGE

DIA BASIC LEAD STEARATE has long storage life if kept cool and dry.
Indoor storage is recommended, Store in cool, dry, ventilated place.
Keep away from heat and sources of ignition. Do not breathe dust. Avoid contact with eyes.

PACKING

DIA BASIC LEAD STEARATE is available in 25 kgs HDPE Bag

SAFETY & ENVIRONMENTAL INFORMATION

Avoid contact with skin, eyes and clothing: may cause irritation. Wear protective safety glasses. Use personal protective equipment. Ensure adequate ventilation. Avoid dust formation. Remove all sources of ignition. Do not breathe vapors/dust. do not allow material to contaminate ground water system. Do not let product enter drains.

Office :

Laxmi Polyadditives

902 GIDC, Sarigam

Dist : Valsad -396155,Gujarat

Email : drpw66@hotmail.com;

Phone : 9712381788,0260-2780074.